

MARAGUA NATIONAL GOVERNMENT CONSTITUENCIES  
DEVELOPMENT FUND



TENDER NOTICE

**FEBRUARY 2025**

MARAGUA NG-CDF invites tenders from interested eligible bidders for the following works

TENDER No.	TENDER DESCRIPTION	ELIGIBILITY
MARAGUA/NG- CDF/2025-015/23/24	<b>CONSTRUCTION TO COMPLETION OF 1 BLOCK OF 8 DOOR LATRINES FOR BOTH BOYS AND GIRLS WITH 2 CHAMBERS FOR PERSONS WITH DISABILITIES AND URINAL FOR BOYS AT MUNGU-INI PRIMARY SCHOOL</b>	<b>OPEN</b>

Interested eligible bidders may obtain and inspect tender documents at the **MARAGUA NG-CDF** office at **MARAGUA** during official working hours Monday to Friday from 8:00am to 5:00 pm or on Public Procurement

Information Portal <https://tenders.go.ke/tenders>.

A complete set of bid documents should be submitted in plain sealed envelope clearly marked the tender number. Envelopes should be without the name & address of the bidder. The envelope should be returned to the address below and be deposited in the tender box located at the entrance of the MARAGUA NG-CDF office, located at MARAGUA Sub-County offices on or before **TUESDAY, 11TH MARCH 2025 at 11:00 AM.**

Bid documents shall be opened immediately after the deadline of the closing date and time at **MARAGUA NG-CDF** boardroom. Interested bidders can attend in person or send their representatives.

**THE FUND ACCOUNT MANAGER,  
MARAGUA NG-CDF,  
P.O BOX 643- 10205,  
MARAGUA.**



NG-CDF MARAGUA

REQUEST FOR QUOTATION  
(RFQ)

QUOTATION NO.: **MARAGUA/NG- CDF/2025-015/23/24**

CONTRACT DESCRIPTION: **CONSTRUCTION TO COMPLETION OF 1  
BLOCK OF 8 DOOR LATRINES FOR BOTH BOYS AND GIRLS WITH 2  
CHAMBERS FOR PERSONS WITH DISABILITIES AND URINAL FOR BOYS  
AT MUNGU-INI PRIMARY SCHOOL**

DATE: \_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

POSTAL ADDRESS:

TELEPHONE NO.: \_\_\_\_\_

E-MAIL ADDRESS: \_\_\_\_\_

GROUP : **AGPO**

PROCURING ENTITY: **MARAGUA NG-CDF**

## Table of Contents

REQUEST FOR QUOTATIONS (RFQ).....	2
PART 1: INSTRUCTIONS TO TENDERERS .....	2
QUOTATION AND QUALIFICATION DOCUMENTS.....	4
II) CONFLICT OF INTEREST DISCLOSURE.....	6
IV) CERTIFICATE OF INDEPENDENT QUOTATION DETERMINATION.....	8
V) SELF-DECLARATION FORM .....	9
BILL OF QUANTITIES .....	13

## REQUEST FOR QUOTATIONS

1. NAME AND CONTACT ADDRESSES OF PROCURING ENTITY:

**MARAGUA NGCDF**

Postal Address: P.O BOX 643-10205, MARAGUA.

Email Address: [cdfmaragua@ngcdf.go.ke](mailto:cdfmaragua@ngcdf.go.ke)

2. Request for Quotations No.: **MARAGUA/NG- CDF/2025-015/23/24**
3. Contract Description: **CONSTRUCTION TO COMPLETION OF 1 BLOCK OF 8 DOOR LATRINES FOR BOTH BOYS AND GIRLS WITH 2 CHAMBERS FOR PERSONS WITH DISABILITIES AND URINAL FOR BOYS AT MUNGU-INI PRIMARY SCHOOL**

## REQUEST FOR QUOTATIONS (RFQ)

To: \_\_\_\_\_ [Insert Name and Address of selected Tenderer]

From: **MARAGUA NGCDF OFFICE**

Contract Description: **CONSTRUCTION TO COMPLETION OF 1 BLOCK OF 8 DOOR LATRINES FOR BOTH BOYS AND GIRLS WITH 2 CHAMBERS FOR PERSONS WITH DISABILITIES AND URINAL FOR BOYS AT MUNGU-INI PRIMARY SCHOOL**

Reference Number - **MARAGUA/NG- CDF/2025-015/23/24**

1. The MARAGUA NG CDF invites you to submit quotations for WORKS indicated in detail in “Table A. Schedule of Requirements and Specifications”. The quotation shall follow the instructions and documents in this RFQ document and shall be in English Language. Tenderers may obtain further information during office hours: 8.00AM - 5.00PM at the address given below.
2. Quotations shall be submitted in accordance with the instruction in Part1: Quotation Procedures and in a sealed envelope clearly indicating name and address of tenderer, the quotation name and title and must reach the Procuring Entity at the address indicated below not later than [indicate date and time]. Quotations can be delivered by registered mail, courier or hand delivery at the tenderer's option. Late quotations shall be rejected.

Enquiries regarding this quotation may be addressed to :

**P.O BOX 643-10205, MARAGUA.**

Email Address: **[cdfmaragua@ngcdf.go.ke](mailto:cdfmaragua@ngcdf.go.ke)**

3. Any resulting contract shall be subject to the terms and conditions detailed in Part3: Contract.

ADDRESS FOR SUBMISSION OF QUOTATIONS

- 1) Name of Procuring Entity:

**MARAGUA NGCDF**

Office Mailing Address:

**P.O BOX 643-10205, MARAGUA.**

Email Address: **[cdfmaragua@ngcdf.go.ke](mailto:cdfmaragua@ngcdf.go.ke)**

- 2) Physical address: **P.O BOX 643-10205, MARAGUA.**

Yours Sincerely,

Fund Account Manager

## PART 1: INSTRUCTIONS TO TENDERERS

1. Tenderers are advised to read carefully these instructions and the Conditions of Contract in Part3: Contract, before preparing the quotation. The standard forms in this RFQ may be photocopied for completion but the Tenderer is responsible for their accurate reproduction. The term Tenderer shall mean the firm or person invited to submit a quotation. The term Quotation herein shall mean the quotation submitted as usually understood in public procurement.
2. Validity of Quotations: The quotation will be held valid for **90** days from the date of submission.
3. The Quotation shall consist of completed Tables A, B and C and the Form of Quotation all indicated in Part2 of this Request for Quotations, and documents to evidence Eligibility and Conformity to Technical Specifications.
4. Sealing and Marking of Quotations: Quotations in one “one original” should be sealed in a single envelope, clearly marked with the Quotation Reference Number in the RFQ, the Tenderer's name and the name of the Procuring Entity. Envelopes should be sealed in such a manner that opening and resealing cannot be achieved undetected.
5. Submission of Quotations: Quotations, and any alternatives if allowed as per Item 11 below, should be submitted to the address below, on or before the date and time indicated in sub -item 4 below. Late quotations will be rejected.

### Address for Submission of Quotations

- 1) Name of Procuring Entity: MARAGUA NG-CDF

Mailing Address: Postal Address:

THE FUND ACCOUNT MANAGER,  
MARAGUA NGCDF  
P.O BOX 643-10205, MARAGUA.

- 2) Date of Submission (deadline): **TUESDAY, 11TH MARCH 2025**
- 3) Time of Submission (deadline): **11:00 AM.**
6. Opening of Quotations: Quotations will be opened immediately after the closing date and time specified in item 5(4) above, by at least three appointed officials of the Procuring Entity.
7. Tenderer Eligibility: Tenderer must submit Documentary evidence to show their eligibility to be awarded a contract to cover each of the following:
  - i) Valid Trading License
  - ii) Certificate of Registration
  - iii) Current CR12 and Copy of Identification card(s) of the company’s director(s)
  - iv) Valid KRA Pin and Tax Compliance Certificate.
  - v) Valid NCA Certification
  - vi) AGPO Certificate (where applicable)

The Tenderer shall also complete attached forms to confirm eligibility and non-existence of a conflict of interest in relation to this procurement requirement by signing the attached Forms.

8. Invitation not transferable: This invitation is not transferable to other firms or individuals not so invited.
9. Goods Eligibility: Tenderer must submit as evidence documents to show the country of origin of any goods to be supplied or incorporated in the work or services.
10. Technical Specifications: Documentary evidence to show that the goods meet the technical specifications.
11. Alternative Quotations: Tenderers are permitted/not permitted (select one) to submit alternative quotations for goods/alternative technical solutions for specified parts of the Works or Services (select one). Only the alternatives, if any, of the Tenderer with the winning quotation conforming to the basic technical requirements shall be considered by the Procuring Entity.
12. Currency: Quotations shall be priced in Kenya Shillings. Quotations in other currencies will be rejected.
13. Evaluation of Quotations: The evaluation of quotations will be conducted using the procedure set out below:
  - i) Preliminary examination to determine Tenderer eligibility:
    - i. Valid Trading License
    - ii. Certificate of Registration
    - iii. Current CR12 and Copy of Identification card(s) of the company's director(s)
    - iv. Valid KRA Pin and Tax Compliance Certificate.
    - v. Valid NCA Certification
    - vi. AGPO Certificate (where applicable)
  - ii) Technical examination to determine goods eligibility, compliance with technical specifications and commercial responsiveness. Quotations failing this stage will be rejected and not considered in next stage.
  - iii) Financial comparison of quotations to determine the lowest evaluated quotation.
14. Lowest Evaluated Quotation: The lowest evaluated quotation shall be recommended for award of contract.
15. Award of contract: Award of contract shall be by placement of a Letter of Acceptance or Local Purchase Order in accordance with Part 3: Contract. The currency of award and payment shall be currency in which the quotation was submitted. Unsuccessful Tenderers who responded will be notified of the accepted quotation, indicating the name and the amount of the accepted quotation.
16. Right to Reject: The Procuring Entity reserves the right to accept or reject any quotation or to cancel the quotation process and reject all quotations at any time prior to contract award.

## QUOTATION AND QUALIFICATION DOCUMENTS

Tenderer must fill and complete the following;

- i) FORM FOR DISCLOSURE OF INTEREST
- ii) CERTIFICATE OF INDEPENDENT QUOTATION DETERMINATION
- iii) SELF-DECLARATION FORM
- iv) BILL OF QUANTITIES

FORM OF QUOTATION [To be completed by Tenderer]

Quotation Addressed to (Procuring Entity)	<b>MARAGUA NG-CDF</b>
Date of Quotation	
Quotation Reference Number	<b>MARAGUA/NG- CDF/2025-015/23/24</b>
Subject of Quotation	<b>CONSTRUCTION TO COMPLETION OF 1 BLOCK OF 8 DOOR LATRINES FOR BOTH BOYS AND GIRLS WITH 2 CHAMBERS FOR PERSONS WITH DISABILITIES AND URINAL FOR BOYS AT MUNGU-INI PRIMARY SCHOOL</b>

1. We have examined and have no reservations to the Request for Quotation document, and understand its full content and intent.
2. In compliance with your request for quotations dated \_\_\_\_\_, referenced above, we offer to \_\_\_\_\_ (specify one of supply goods, complete the works or provide the services) to cover and conform to our pricing listed in the attached in Table B. Quotation Submission TABLE at a total price of Kenya Shillings \_\_\_\_\_ (in words) \_\_\_\_\_
3. We confirm that we are eligible to participate in public procurement and meet the eligibility criteria specified in Part 1: INSTRUCTIONS TO TENDERERS.
4. We also confirm that the \_\_\_\_\_ ( works to be constructed conform to the BILL OF QUANTITIES TABLE below of this RFQ Document.
5. We undertake to adhere by the Code of Ethical Conduct for Suppliers, Contractors and Service Providers, copy available from [https://nt.treasury.go.ke/sites/default/files/inline-files/Code-of-Ethics-for-Suppliers\\_1.pdf](https://nt.treasury.go.ke/sites/default/files/inline-files/Code-of-Ethics-for-Suppliers_1.pdf) during the procurement process and the execution of any resulting contract.



6. We confirm that the prices quoted are fixed and firm for the duration of the validity period and performance of the contract and will not be subject to revision or variation.
7. The validity period of our quotation is: \_\_\_\_\_ days from the time and date of the submission deadline (number to be same as in the instructions to Tenderers).
8. We confirm we are not submitting any other Quotation as an individual or firm, and we are not participating in any other Quotation as a Joint Venture member or as a sub-contractor.
9. We, along with any of our subcontractors, suppliers, Engineer, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to a temporary suspension, or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
10. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption.
11. We hereby certify and confirm that the Quotation is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the “Certificate of Independent Quotation Determination” attached below.
12. We, the Tenderer, have completed fully and signed the FORM FOR DISCLOSURE OF INTEREST-interest of the firm in the Procuring Entity, attached below.

The Delivery/Completion period offered is: \_\_\_\_\_ days from date of acceptance of Quotation. The warranty period offered is \_\_\_\_\_ weeks.

- i) FORM FOR DISCLOSURE OF INTEREST – Interest of the Firm in the Procuring Entity
- ii) Are there any person /persons in **MARAGUA NG CDF** who has/have an interest or relationship in this firm? Yes/No.....

If yes, provide details as follows;

	Names of Person	Designation in the Procuring Entity	Interest or Relationship with Tenderer
1			
2			
3			

- iii) **Conflict Of Interest Disclosure**

	Type of Conflict	Disclosure	If YES provide details of the relationship with Tenderer
		YES ORNO	
1	Tenderer is directly or indirectly controls, is controlled by or is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Quotation has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the quotation of another tenderer, or influence the decisions of the Procuring Entity regarding this quotation process.		
5	Any of the Tenderer’s affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the quotation.		
6	Tenderer would be providing goods, works, non-consulting services or consulting services during implementation of the contract specified in this Quotation Document.		
7	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation of the Quotation document or specifications of the Contract, and/or the Quotation evaluation process of such contract.		
8	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in the implementation or supervision of the Contract.		
9	Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity throughout the quotation process and execution of the Contract?		

## iv) Certification

On behalf of the Tenderer, I certify that the information given above is complete, current and accurate as at the date of submission.

Full Name \_\_\_\_\_

Title or Designation \_\_\_\_\_

\_\_\_\_\_  
(Signature)

\_\_\_\_\_  
(Date)

## v) CERTIFICATE OF INDEPENDENT QUOTATION DETERMINATION

I, the undersigned, in submitting the accompanying Letter of quotation to the \_\_\_\_\_  
 [Name of Procuring Entity] for: \_\_\_\_\_ [Name and number of quotation] in  
 response to the request for tenders made by: \_\_\_\_\_ [Name  
 of Tenderer] do hereby make the following statements that I certify to be true and complete in every  
 respect: I certify, on behalf of \_\_\_\_\_ [Name of Tenderer] that:

1. I have read and I understand the contents of this Certificate;
2. I understand that the Tenderer will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the quotation on behalf of the Tenderer
4. For the purposes of this Certificate and the quotation, I understand that the word “competitor” shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
  - a) Has been requested to submit a quotation in response to this request for quotations;
  - b) Could potentially submit a quotation in response to this request for quotations based on their qualifications, abilities or experience;
5. The Tenderer discloses that [check one of the following, as applicable]:
  - a) The Tenderer has arrived at the quotation independently from, and without consultation, communication, agreement or arrangement with, any competitor;
  - b) the Tenderer has entered into consultations, communications, agreements or arrangements with one or more competitors regarding this request for quotations, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
6. In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - a) prices;
  - b) methods, factors or formulas used to calculate prices;
  - c) the intention or decision to submit, or not to submit, a quotation; or
  - d) the submission of a quotation which does not meet the specifications of the request for quotations; except as specifically disclosed pursuant to paragraph (5)(b) above;
7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality, quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph(5)(b) above;
8. The terms of the quotation have not been, and will not be, knowingly disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official quotation opening, or of the awarding of the Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph(5)(b) above.

Name: \_\_\_\_\_

Title: \_\_\_\_\_

8 Date: \_\_\_\_\_ [Name, title and signature of authorized agent of Tenderer and Date]

## vi) SELF-DECLARATION FORM

We, the Tenderer \_\_\_\_\_ (insert name) submitting our  
 Quotation in respect of Quotation No. \_\_\_\_\_  
 for \_\_\_\_\_ (insert  
 quotation Title Description) for \_\_\_\_\_ (insert  
 Name of Procuring Entity)

## DECLARE AS FOLLOWS:

That, we the Tenderer including any entity or individual that directly or indirectly controls, is controlled by or is under common control with us, and any subcontractors, suppliers, project managers, consultants, manufacturers, service providers, agents, individuals, or any other party involved or to be involved for any part of the processes of procurement and contract execution related to the above quotation:

- a) have not engaged/will not engage in any corrupt or fraudulent practices in the processes of procurement and contract execution related to the above quotation as defined and/ or described in the following:
  - i) the RFQ for the above Quotation;
  - ii) Kenya's Public Procurement and Asset Disposal Act, 2015 and its attendant Regulations;
  - iii) Kenya's Anti-Corruption and Economic Crimes Act, 2013; and
  - iv) Any such other Acts or Regulations of Government of Kenya;
- b) Have not offered/will not offer any inducement to any member of the board, management, staff and/or employees and/or agents of \_\_\_\_\_ (name of the procuring entity);
- c) Have not engaged/will not engage in any collusive or corrosive practice with other Tenderers participating in the subject quotation;
- d) have not been sanctioned or debarred by any entity from participation in public procurement proceedings of Kenya.

That, what is deponed to herein above is true to the best of our knowledge, information and belief.

Name of the Tenderer: \_\_\_\_\_ [Insert complete name of tenderer signing the quotation]

Name of the person duly authorized to sign the quotation on behalf of the Tenderer: \_\_\_\_\_ [Insert complete name of person duly authorized to sign the quotation]

Title of the person signing the Quotation: \_\_\_\_\_ [Insert complete title of the person signing the quotation]

Signature of the person named above: \_\_\_\_\_ [Insert signature of person whose name and capacity are shown above]

**COMMITMENT TO THE CODE OF ETHICS** *(to be submitted as part of any quotation or tender)*

I..... (Supplier) Confirm that I have read and fully understood the contents of the Public Procurement & Disposal Act, 2006 and the Code of Ethics for Suppliers and my responsibilities under the Code.

I also certify that I am duly authorized to sign this Code on my own behalf and on behalf of my organization, and agree to comply with the Code of Ethics.

Name..... Sign.....

Position.....

Office address.....

Telephone.....

E-mail.....

Name of the Firm.....

**(Company Seal/ Rubber Stamp where applicable)**

Sworn at ..... }


By the said ..... }

Deponent

this.....day of.....20..... }

Before Me }

Commissioner for Oaths/Magistrate }



**REPUBLIC OF KENYA**

**MINISTRY OF TRANSPORT AND INFRASTRUCTURE**

**DIRECTORATE OF PUBLIC WORKS**

**CONSTRUCTION TO COMPLETION OF  
1 BLOCK OF 8 DOOR LATRINES  
FOR BOTH BOYS AND GIRLS WITH 2  
CHAMBERS FOR PERSONS WITH  
DISABILITIES AND URINAL FOR BOYS  
AT  
MUNGU-INI PRIMARY**

**BILLS OF QUANTITIES**

TENDER NO: .....

Prepared: -  
County Quantity Surveyor  
Department of Public Works  
P.O. Box 133 - 10200  
MURANG'A

Issued: -  
County Works Officer  
Department of Public Works  
P.O. Box 133 - 10200  
MURANG'A

**FEBRUARY, 2025**

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>BILL NO. 1</u></b>				
	<b><u>PIT LATRINE BLOCK (8 NO.ROOMS)</u></b>				
	<b><u>BUILDER'S WORK</u></b>				
	<b><u>ELEMENT NO.1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				
	<b><u>(ALL PROVISIONAL)</u></b>				
	<b>NOTE;(I) All work measured under this element is up to and including the floor slab excluding the finishes thereon.</b>				
A	Clear the site of all bush scrub undergrowth and small trees grab up roots and cart away or burn all arising ( <b>approx. area sq. sm</b> )	0	SM	50	-
	<b><u>EXCAVATIONS</u></b>				
B	<b>Bulk</b> , Excavate to reduce levels not exceeding 1.50 metres deep commencing at stripped level	0	CM	50	-
C	Excavate for strip foundation trenches occurring not exceeding 1.5metres deep commencing from reduced level	63	CM	250	15,750.00
D	Excavate pit not exceeding 1.5 metres deep commencing from existing ground level	63	CM	250	15,750.00
E	Ditto exceeding 1.5 metres but not exceeding 3.0 metres deep	63	CM	250	15,750.00
F	Ditto exceeding 3.0 metres but not exceeding 4.5 metres deep	63	CM	250	15,750.00
G	Ditto exceeding 4.5 metres but not exceeding 6.0 metres deep	63	CM	250	15,750.00
H	Ditto exceeding 6.0 metres but not exceeding 7.5 metres deep	63	CM	250	15,750.00
J	Ditto exceeding 7.5 metres but not exceeding 9 metres deep	63	CM	250	15,750.00
K	Ditto exceeding 9.0 metres but not exceeding 10.5 metres deep	0	CM	1000	-
L	Ditto exceeding 10.5 metres but not exceeding 12 metres deep	0	CM	1000	-
M	Cart away excavated material	378	CM	100	37,800.00
N	Extra over excavations for excavating in rock	3	CM	1500	4,500.00
P	Allow for keeping excavations free from all water		ITEM		1,000.00
Q	Allow for Planking and Strutting		ITEM		1,000.00
	<b><u>Backfilling:</u></b>				
R	Backfill externally with approved murrum, well watered and compacted	4	CM	100	400.00
	<b><u>Hardcore as described</u></b>				
					-
S	300mm Thick layer of imported hardcore filling including levelling and consolidating in 150mm layers	42	SM	300	12,600.00
	<b>Carried to Collections</b>				<b>167,550.00</b>

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
A	<b>Blinding</b> 50mm Thick Quarry dust blinding to the surface of hardcore;rolled smooth to receive polythene sheeting(m.s)	42	SM	100	4,200.00
B	<b>Insecticide treatment</b> "TERMIDOL" or other equal and approved chemical insecticide treatment prepared and applied according to the manufacturer's printed instructions.	42	SM	120	5,040.00
C	<b>Damp proof membrane</b> 500 Gauge polythene or other equal and approved plastic sheet damp proof membrane laid over blinding(measured nett - allow for laps)	42	SM	150	6,300.00
D	<b>Backfilling:</b> Backfill externally with approved murrum, well watered and compacted	0	CM	100	-
E	<b>In-situ concrete work</b> <b>Mass concrete (1:3:6/38-38mm aggregate)</b> 50mm Thick blinding under strip foundations	4	SM	350	1,400.00
F	50mm Thick blinding under Column Bases	0	SM	350	-
G	<b>Vibrated reinforced concrete</b> <b>(1:2:4/20-20mm aggregate) as described in:</b> Strip foundations	3	CM	11000	33,000.00
H	Ground Beams	2	CM	11000	22,000.00
J	150 mm thick Suspended Floor slab/bed slab	0	SM	1650	-
K	100mm Thick Floor slab	42	SM	1100	46,200.00
	<b>Steel reinforcement</b>				-
	<b>Supply and fix bars reinforcement</b>				-
	<b>including bending, hooks, tyingwire, cutting</b>				-
	<b>spacers and supporting all in position as described</b>				-
	<b>High tensile square twisted bars to B.S. 4461</b>				-
L	Assorted 8 - 16 mm Diameter	0	KG	160	-
M	8 mm Diameter	32	KG	160	5,120.00
N	10 mm Diameter	404	KG	160	64,640.00
P	12 mm Diameter	158	KG	160	25,280.00
Q	16 mm Diameter	0	KG	160	-
	<b>Mesh reinforcement</b>				
R	Fabric mesh reinforcement to B.S. 4483 ref: A142 including laps tyingwire and spacer blocks complete(measured nett-allow for laps)	84	SM	350	29,400.00
	<b>Sawn formwork as described to :</b>				
S	Vertical sides of strip foundations	0	SM	350	-
T	Vertical sides of Column bases	0	SM	350	-
U	Vertical sides of Columns	0	SM	350	-
V	Vertical sides of Ground Beams	6	SM	350	2,100.00
W	Soffits of slab	42	SM	350	14,700.00
X	Edges of slab 75-150mm girth high	27	LM	100	2,700.00
	<b>Carried to Collections</b>				<b>262,080.00</b>

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>Masonry block walling in cement and sand (1:4) mortar</u></b>				
A	200mm masonry block walling	27	SM	1100	29,700.00
B	150mm masonry block walling	8	SM	1100	8,800.00
C	Extra over formwork for boxing to form 150 x 270mm opening through 150mm thick floor slab	2	NO	300	600.00
	<b><u>Internal wall finishes</u></b>				
D	Hack out joints and apply 12mm thick gauged lime plaster (1:2:9) in two coats finished with steel trowel on natural stone walling and beams	0	SM	350	-
	<b><u>Plinth area finishes</u></b>				
E	12mm Thick cement and sand (1:3) wood float render to plinth area	16	SM	350	5,600.00
F	Prepare and apply three coats black bitumastic paint to rendered area	16	SM	280	4,480.00
	<i>Carried to collection below</i>				<b>49,180.00</b>
	<b><u>COLLECTION</u></b>				
	<b>Brought Forward from Page No. BW</b>				<b>167,550.00</b>
	<b>Brought Forward from Page No. BW</b>				<b>262,080.00</b>
	<b>Brought Forward from Page No. BW</b>		<b>Above</b>		<b>49,180.00</b>
	<b><u>TOTAL FOR ELEMENT NO. 1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				<b>478,810.00</b>
	<b><i>CARRIED TO SUMMARY</i></b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>ELEMENT NO.2</u></b>				
	<b><u>REINFORCED CONCRETE</u></b>				
	<b><u>FRAME (ALL PROVISIONAL)</u></b>				
	<b><u>Vibrated reinforced concrete</u></b>				
	<b><u>(1:2:4/20 - 20mm aggregate ) as</u></b>				
	<b><u>described in:-</u></b>				
A	Ring Beam	2	CM	11000	22,000.00
	<b><u>Steel reinforcement</u></b>				
	<b><u>Supply and fix steel bars</u></b>				
	<b><u>reinforcement including bending,</u></b>				
	<b><u>hooks, tying wire, cutting, spacer</u></b>				
	<b><u>blocks and supporting all in</u></b>				
	<b><u>position</u></b>				
	<b><u>High tensile square twisted bars to</u></b>				
	<b><u>B.S. 4461 as described in :</u></b>				
B	Assorted 8 - 16 mm Diameter	0	KG.	160	-
C	8 mm Diameter	52	KG.	160	8,320.00
D	12 mm Diameter	76	KG.	160	12,160.00
	<b><u>Sawn formwork as described to :</u></b>				
E	Sides and soffits of ringbeam/beams	12	SM	350	4,200.00
	<b><u>TOTAL FOR ELEMENT NO. 2</u></b>				
	<b><u>R.C. SUPERSTRUCTURE</u></b>				<b>46,680.00</b>
	<b><u>CARRIED TO SUMMARY</u></b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>ELEMENT NO. 3</u></b>				
	<b><u>WALLING (ALL PROVISIONAL)</u></b>				
	<b><u>Fine chiselled natural stone walling bedded and jointed in cement and sand (1:3) mortar and reinforced with and including 20swg x 25mm wide hoop iron in alternate courses; NOTE;with horizontal keys externally; internally left plain ready for plaster (m.s)</u></b>				
A	200mm Thick External wall reinforced in every third course	57	SM	1100	62,700.00
B	150mm Thick Internal wall reinforced in every third course <i>(dwarf walling)</i>	44	SM	1100	48,400.00
C	200mm Thick Gable Wall	0	SM	1100	-
D	150mm ditto	0	SM	1100	-
	<b><u>Horizontal damp proof course ; one layer of 3 - ply bituminous felt or other equal and approved (measured nett - allow for laps)</u></b>				
E	200mm Wide levelled and bedded in cement and sand (1:3) mortar under walls	27	LM	150	4,050.00
F	150 mm Wide levelled and bedded in cement and sand (1:3) mortar under walls	25	LM	150	3,750.00
	<b><u>Precast concrete louvered vent Walling ; bedded and jointed in cement and sand (1:3) mortar and reinforced with and including 20swg x 25mm wide hoop iron</u></b>				
G	200mm Thick reinforced in every third course	11	SM	1500	16,500.00
	<b><u>TOTAL FOR ELEMENT NO.3</u></b>				
	<b><u>WALLING</u></b>				<b>135,400.00</b>
	<b><u>CARRIED TO SUMMARY</u></b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>ELEMENT NO 4</u></b>				
	<b><u>ROOFING AND RAIN WATER DISPOSAL</u></b>				
	<b><u>(ALL PROVISIONAL)</u></b>				
	<b><u>All timber to be sawn cypress of G.S grade seasoned to an equilibrium moisture content between 9%and 15% and to a requirement of K.S 02771 of 1991 treated with approved wood preservative.</u></b>				
A	100 x 50mm rafters	31	LM	300	9,300.00
B	100 x 50mm Struts and Ties/King Post	12	LM	300	3,600.00
C	100 x 50mm wallplate	27	LM	300	8,100.00
D	100 x 50mm tie beam	26	LM	300	7,800.00
E	75 x 50mm purlins	36	LM	250	9,000.00
	<b><u>Roof covering</u></b>				
	<b><u>Approved gauge 28 IT5 Pre-painted roofing sheets laid onto and including 50 x 75 celcured treated cypress battens (m.s) - at approved centres:</u></b>				
F	Laid in approved pattern; including raking cutting	55	SM	900	49,500.00
G	Approved ridge cap	7	LM	300	2,100.00
	<b><u>Wrot cypress, prime grade</u></b>				
H	200 x 25mm thick fascia and barge board	27	LM	300	8,100.00
	<b><u>Painting and Decorating</u></b>				
	<b><u>Prepare and Apply Three coats of Gloss Oil Paint to:-</u></b>				
J	Fascias; 200 to 300mm girth; external	27	LM	80	2,160.00
	<b><u>Vent pipe</u></b>				
K	150mm diameter PVC pipe fixed to walling with and including holderbats at 1.0 metres centres	6	LM	400	2,400.00
L	Extra over ditto for wire ballon grating	2	NO	300	600.00
	<b><u>TOTAL FOR ELEMENT NO. 4</u></b>				
	<b><u>ROOFING AND RAINWATER DISPOSAL</u></b>				
	<b><u>CARRIED TO SUMMARY</u></b>				<b>102,660.00</b>

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>ELEMENT NO. 5</u></b>				
	<b><u>DOORS</u></b>				
	<b><u>Wrot cedar</u></b>				
A	100 x 45mm rebated door frame	46	LM	350	16,100.00
	<b><u>45 mm Semi-solid core flush door faced both sides with plywood finishing for painting overall, size 800 x 2100mm</u></b>				
B	Single door size 750 x 2100mm high T-DOOR/Flush door as instructed by the PM.	8	NO	5500	44,000.00
C	Single door size 800 x 1500mm high flush door	0	NO	4000	-
	<b><u>Paintworks</u></b>				
	<b><u>Prepare and apply two undercoats and one finishing coat gloss oil paint to.</u></b>				
D	General surfaces of timber doors	30	SM	280	8,400.00
	<b><u>Supply and fix the following ironmongery with matching screws all as described:</u></b>				
E	100mm pressed butt hinges	12	NO	150	1,800.00
F	slide barrel lock	8	NO	150	1,200.00
	<b><u>TOTAL FOR ELEMENT NO. 5</u></b>				
	<b><u>DOORS</u></b>				<b>71,500.00</b>
	<b><u>CARRIED TO SUMMARY</u></b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>ELEMENT NO. 6</u></b>				
	<b><u>WINDOWS</u></b>				
	<b><u>(ALL PROVISIONAL)</u></b>				
	<b><u>In situ concrete class 20 window cill once rebated and throated fairfaced all exposed surfaces</u></b>				
A	200 × 20 mm thick window cill	0	LM	500	-
B	Prepare and apply three coats plastic emulsion paint on Ditto girth over 200mm but n.e 300mm girth	0	LM	100	-
	<b><u>Steel Casement windows</u></b>				
	<b><u>Supply and fix the following Standard steel casement windows with one coat lead oxide primer complete with opening accessories, standard pressed metal permanent vent filled with non-corroding metal mosquito gauze and sheet metal hood etc including cutting and pinning fixing lugs to walling and bedding frame in cement and sand mortar (1:4):-</u></b>				
C	Window grilles size 450 × 450 mm high	0	NO	1115	-
	<b><u>Prepare and apply two undercoats and one finishing coat gloss oil paint to:-</u></b>				
D	Steel window grilles (measured generally)	0	SM	280	-
	<b><u>TOTAL FOR ELEMENT NO. 6</u></b>				
	<b><u>WINDOWS</u></b>				-
	<b><u>CARRIED TO SUMMARY</u></b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>ELEMENT NO. 7</u></b>				
	<b><u>FINISHES</u></b> <b>(ALL PROVISIONAL)</b> <b><u>External wall finishes</u></b>				
	<b>12mm thick cement,sand render,with wood float finish , as described to:-</b>				
A	Concrete surfaces of gables, walls and beams	57	SM	350	19,950.00
B	Masonry wall surfaces	0	SM	350	-
	<b><u>Painting and decorations</u></b>				
	<b><u>Prepare and apply one undercoat and two finishing coats "Permacoat" or equivalent exterior quality emulsion paint on:-</u></b>				
C	Fair faced surfaces of concrete beams and columns	57	SM	280	15,960.00
D	Fair faced surfaces of Masonry walling	0	SM	280	-
	<b><u>Internal wall finishes</u></b>				
E	Hack out joints and apply 12mm thick gauged lime plaster (1:2:9) in two coats finished with steel trowel on natural stone walling and beams	145	SM	350	50,750.00
F	10mm Thick cement and sand (1:4) screed finished to receive glazed tiling	0	SM	350	-
	<b><u>300 x 300 x 8 mm Thick coloured glazed ceramic wall tiles as "Saj" or equal and approved manufacturer jointed and pointed with matching white cement .</u></b>				
G	Tiling on walls, including 150 mm wide matching dividing strip; and rounding on all edges with and including chrome edge strips	0	SM	1500	-
	<b><u>Painting and decorations</u></b>				
	<b><u>Prepare and apply one undercoat and two finishing coats plastic Vinyl matt or equivalent emulsion paint on:-</u></b>				
H	Plastered surfaces	145	SM	280	40,600.00
	<b><u>Floor Finishes</u></b>				
	<b><u>Insitu cement and sand ( 1:3) screeded beds ,with steel trowelled finish, on concrete</u></b>				
J	32 mm Red oxide coloured screed	42	SM	350	14,700.00
K	Ditto 25 x 100 mm high skirting	26	LM	35	910.00
L	Concrete class Q as described in foot rest 250 x 150 x 50mm high with rounded edges all finished with wood float including all necessary formwork	8	NO	500	4,000.00
	<b><u>TOTAL FOR ELEMENT NO. 7</u></b>				
	<b><u>FINISHES</u></b>				
	<b><u>CARRIED TO SUMMARY</u></b>				<b>146,870.00</b>

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>ELEMENT NO. 8</u></b>				
	<b><u>WASH HAND TROUGHS</u></b>				
	<b><u>SUPERSTRUCTURE WORKS</u></b>				
	<b><u>REINFORCED CONCRETE FRAME</u></b>				
	<b><u>Vibrated reinforced concrete class (1:2:4/ 20- 20 mm aggregate) in:</u></b>				
A	75 mm Thick Suspended slab	4	SM	825	3,300.00
	<b><u>High tensile square twisted bars to</u></b>				
	<b><u>B.S. 4461 as described in :</u></b>				
B	8 mm Diameter	0	KG.	160	-
C	10 mm Diameter	36	KG.	160	5,760.00
	<b><u>Sawn formwork</u></b>				
D	Soffits of slab	4	SM	350	1,400.00
E	Vertical edges of suspended slab (0-100mm girth)	4	LM	100	400.00
	<b><u>WALLING (ALL PROVISIONAL)</u></b>				
	<b><u>Dwarf Wall</u></b>				
	<b><u>Fine machine cut natural stone walling bedded and jointed in</u></b>				
	<b><u>cement and sand (1:3) mortar and reinforced with and including</u></b>				
	<b><u>20swg x 25mm wide hoopiron; internally left plain ready for plaster</u></b>				
	<b><u>(m.s)</u></b>				
F	100mm Thick Internal wall reinforced in every third course	6	SM	1100	6,600.00
	<b><u>Horizontal damp proof course ; one layer of 3 - ply bituminous felt</u></b>				
	<b><u>or other equal and approved (measured nett - allow for laps)</u></b>				
G	100mm Wide levelled and bedded in cement and sand (1:3) mortar under walls	6	LM	150	900.00
	<b>Carried to collection</b>				<b>18,360.00</b>

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b><u>FINISHES</u></b> <b>(ALL PROVISIONAL)</b>				
	<b><u>Internal wall finishes</u></b>				
A	Hack out joints and apply 12mm thick gauged lime plaster (1:2:9) in two coats finished with steel trowel on natural stone walling and beams	12	SM	350	4,200.00
	<b><u>Painting and decorations</u></b>				
	<b><u>Prepare and apply one undercoat and two finishing coats plastic Vinyl matt or equivalent emulsion paint on:-</u></b>				
B	Plastered surfaces	12	SM	280	3,360.00
	<b><u>WORKTOP FINISHES</u></b> <b>(ALL PROVISIONAL)</b>				
	<b><u>Plaster</u></b>				
	<b><u>12mm thick cement/ lime/ sand/ ( 1:1:6) plaster in:</u></b>				
C	soffits of Suspended slab	4	SM	350	1,400.00
D	Sides of suspended slab (100mm)	4	LM	100	400.00
	<b><u>In situ cement and sand ( 1:3) screeded beds ,with wood trowelled finish, on concrete</u></b>				
E	25 mm screed to receive ceramic floor tiles(ms) <i>(Wall tiles/ Floor Tiles)</i>	4	SM	350	1,400.00
	<b><u>300 x 300 x 8 mm Thick floor approved ceramic floor tiles as "Saj" or equal and approved manufacturer jointed and pointed with matching white cement, in acid resistant grouting</u></b>				
F	Tiling	4	SM	1500	6,000.00
G	Ditto 100 mm high skirting	0	LM	150	-
	<b><u>Carried to collection</u></b>				<b>16,760.00</b>
	<b>Brought Frought From Page No.BW</b>				<b>18,360.00</b>
	<b>Brought Frought From Page No.BW</b>		<b>Above</b>		<b>16,760.00</b>
	<b><u>TOTAL FOR</u></b> <b><u>WASH HAND TROUGHS</u></b> <b><u>CARRIED TO SUMMARY</u></b>				<b>35,120.00</b>

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<b>BILL NO. 1</b>				
	<b>SUMMARY</b>				
		<b>PAGE</b>	<b>NO</b>		
1	<b>SUBSTRUCTURES</b>	BW			478,810.00
2	<b>R.C SUPERSTRUCTURES</b>	BW			46,680.00
3	<b>WALLING</b>	BW			135,400.00
4	<b>ROOFING AND RAINWATER DISPOSAL</b>	BW			102,660.00
5	<b>DOORS</b>	BW			71,500.00
6	<b>WINDOWS</b>	BW			-
7	<b>FINISHES</b>	BW			146,870.00
8	<b>WASH HAND TROUGHS</b>	BW			35,120.00
9	Allow a Provisional Sum for Mechanical works Installations (plumbing and drainage pipework and accessories and quality pillar taps)		<b>ITEM</b>		5,000.00
	<b>TOTAL FOR PIT LATRINE BLOCK (8 NO.ROOMS) CARRIED TO GRAND SUMMARY</b>				<b>1,022,040.00</b>

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<u>PROVISIONAL SUMS</u>				
A	Allow a provisional sum for project documentation and management				30,000.00
B	Allow a provisional sum for PMC				20,000.00
	<b>PROVISIONAL SUMS CARRIED TO GRAND SUMMARY</b>				<b>50,000.00</b>

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	<u>GRAND SUMMARY</u>				
		PAGE	OFFICIAL USE		TENDERER'S USE
	<u>PRELIMINARIES</u>				
1	Particular and General Preliminaries			-	
	<u>BUILDERSWORKS</u>				
2	PIT LATRINE BLOCK (8 NO.ROOMS)		BW/	1,022,040.00	
	<u>PRIME COST AND PROVISIONAL SUMS</u>				
3	Prime Cost and Provisional Sums		BW/	50,000.00	
	Sub - Total 1		KSHS.	1,072,040.00	
	<i>GRAND TOTAL CARRIED TO FORM OF TENDER</i>		KSHS.	1,072,040.00	

NAME OF TENDERER.....

ADDRESS.....

SIGNATURE.....STATUS.....

DATE.....

NAME OF WITNESS.....

ADDRESS.....

SIGNATURE.....

DATE.....